Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAplus and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 17:15:52 ON 09 APR 2008

```
=> file reg
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                         ENTRY    SESSION
FULL ESTIMATED COST                                       0.21       0.21

FILE 'REGISTRY' ENTERED AT 17:16:00 ON 09 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:    8 APR 2008  HIGHEST RN 1012980-81-2
DICTIONARY FILE UPDATES:   8 APR 2008  HIGHEST RN 1012980-81-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10563361.str
```





chain nodes :
6 7 8 16 17 21 22 23
ring nodes :
1 2 3 4 5 10 11 12 13 14 15 26 27 28 29 30 31
chain bonds :
2-6 5-8 6-26 6-7 8-10 13-16 16-17 17-21 21-22 22-23
ring bonds :
1-2 1-5 2-3 3-4 4-5 10-11 10-15 11-12 12-13 13-14 14-15 26-27 26-31
27-28 28-29 29-30 30-31
exact/norm bonds :
1-2 1-5 2-3 2-6 3-4 4-5 5-8 6-26 6-7 8-10 10-11 10-15 11-12 12-13
13-14 13-16 14-15 16-17 17-21 21-22 22-23
normalized bonds :
26-27 26-31 27-28 28-29 29-30 30-31
isolated ring systems :
containing 1 : 26 :

G1:C,O,S,N

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 17:CLASS 21:CLASS 22:CLASS
23:CLASS 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom

```
L1      STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1              STR
```




```
G1 C,O,S,N


Structure attributes must be viewed using STN Express query preparation.


=> s l1
SAMPLE SEARCH INITIATED 17:16:25 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      748 TO ITERATE

100.0% PROCESSED      748 ITERATIONS                                1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:        13320 TO    16600
PROJECTED ANSWERS:               1 TO       80

L2            1 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 17:16:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    15374 TO ITERATE

100.0% PROCESSED    15374 ITERATIONS                                3 ANSWERS
SEARCH TIME: 00.00.01

L3            3 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS                            SINCE FILE      TOTAL
```

	ENTRY	SESSION
FULL ESTIMATED COST	178.36	178.57

FILE 'CAPLUS' ENTERED AT 17:16:33 ON 09 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILE COVERS 1907 - 9 Apr 2008 VOL 148 ISS 15
FILE LAST UPDATED: 8 Apr 2008 (20080408/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

```
=> s l3 full
L4           3 L3

=> d ibib abs hitstr tot
```

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2006:700231 CAPLUS
DOCUMENT NUMBER: 145:167259
TITLE: Preparation of heterocyclic derivatives as PPAR α and PPAR γ agonists
INVENTOR(S): Takahashi, Yoko; Nagata, Ryu; Ushiroda, Kantaro
PATENT ASSIGNEE(S): Dainippon Sumitomo Pharma Co., Ltd., Japan
SOURCE: PCT Int. Appl., 195 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006075638	A1	20060720	WO 2006-JP300248	20060112
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
EP 1837329	A1	20070926	EP 2006-702664	20060112
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR				

PRIORITY APPLN. INFO.: JP 2005-6950 A 20050114
WO 2006-JP300248 W 20060112
OTHER SOURCE(S): MARPAT 145:167259
GI



I

AB The title compds. I [the ring Z is an optionally substituted heteroaryl; W4 is a single bond, lower alkylene, lower alkenylene, etc., Ar2 is an optionally substituted aryl, optionally substituted heteroaryl; W3 is a single bond, lower alkylene, lower alkenylene, etc.; Ar1 is an optionally substituted arylene, optionally substituted heteroarylene; each of W1 and W2 is an optionally substituted lower alkylene, optionally substituted lower alkenylene; and R1 is carboxyl, an alkoxycarbonyl, optionally substituted carbamoyl, etc.] are prepared Thus, 2-methyl-2-[(4-((1Z)-3-[2-(4-methylbenzoyl)-1H-pyrrol-1-yl]prop-1-en-1-yl)benzyl)oxy]propionic acid was prepared in a multistep process starting from 1-benzenesulfonyl-1H-pyrrole and p-toluoyl chloride. The PPAR α and PPAR γ agonist activities of compds. of this invention at 10μM were demonstrated.
IT 900182-33-4P 900182-63-0P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of heterocyclic derivs. as PPAR α and PPAR γ agonists)

RN 900182-33-4 CAPLUS

CN Propanoic acid, 2-[[4-[[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]methyl]phenyl]methoxy]-, (2R)- (CA INDEX NAME)

Absolute stereochemistry.



RN 900182-63-0 CAPLUS

CN Propanoic acid, 2-[[(2E)-3-[4-[[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]methyl]phenyl]-2-propen-1-yl]oxy]-, (2R)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2006:677588 CAPLUS
DOCUMENT NUMBER: 145:124570
TITLE: Preparation of 2-benzoylpyrrole, 2-benzoylimidazole, 2-benzoylbenzimidazole derivatives and related compounds for treatment or prevention of hyperlipidemia, arteriosclerosis, and/or metabolic syndrome
INVENTOR(S): Nagano, Tomokazu
PATENT ASSIGNEE(S): Dainippon Pharmaceutical Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 181 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006182668	A	20060713	JP 2004-375862	20041227

PRIORITY APPLN. INFO.: JP 2004-375862 20041227
OTHER SOURCE(S): MARPAT 145:124570
GI



I



II

AB The title compds. [e.g. I; Zb = (un)substituted pyrrole, pyrazole, imidazole, triazole, indole, indazole, or benzimidazole; W2b = a single bond, SO, SO2, (un)substituted CONH or SO2NH, (un)substituted C1-4 alkylene, C2-4 alkenylene, or C2-4 alkynylene optionally two H atoms of methylene group substituted with O to form a CO group; Ar1b, Ar2b = (un)substituted aryl or heteroaryl; W1b = (un)substituted C1-5 alkylene, C2-5 alkenylene, or C2-5 alkynylene, -Yb-W3b- (Yb = O, S, (un)substituted NH; W3b = (un)substituted C1-4 alkylene, C2-4 alkenylene, or C2-4 alkynylene), etc.; X1b = SO2, OCO2, SO2O, (un)substituted CONHSO2, NHSO2, NHCO, SO2NHCO, SO2NH, CONH, OCONH, NHCONH, or NHC(NH2):N-, etc.; R1b = CO2H, alkoxycarbonyl, (un)substituted CONH2, cyclic aminocarbonyl, alkylsulfonylcarbamoyl, arylsulfonylcarbonyl, or heteroarylsulfonylcarbonyl, tetrazolyl, 2,4-dioxooxazolidin-5-yl, etc.] are prepared These compds. are agonists (activators) of PPARα and/or PPARγ and not only improve hyperglycemia but also possess lipid improving activity such as improving hypertriglyceridemia and increasing HDL cholesterol. They are useful for the treatment or prevention of

hyperlipidemia, arteriosclerosis, and/or the metabolic syndrome. For example, compound (II).Na activated human PPARα and human PPARγ by 15.1 and 7.0%, resp., at 10 μM. When it was administered to mice at 30 mg/kg for 2 wk p.o., it lowered blood sugar and triglyceride by 70 and 89%, resp., and increased HDL by 41%.

IT 840502-82-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 2-benzoylpyrrole, 2-benzoylimidazole, 2-benzoylbenzimidazole derivs. and related compds. for treatment or prevention of hyperlipidemia, arteriosclerosis, and/or metabolic syndrome)

RN 840502-82-1 CAPLUS

CN Propanoic acid, 2-[[4-[(1E)-3-[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]-1-propenyl]phenyl]methoxy]-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:120880 CAPLUS
DOCUMENT NUMBER: 142:219144
TITLE: Preparation of benzoylpyrrole derivatives as PPAR agonist
INVENTOR(S): Watanabe, Ken-ichi; Maruta, Katsunori; Ushiroda, Kantaro; Nagata, Ryu
PATENT ASSIGNEE(S): Sumitomo Pharmaceuticals Co., Ltd., Japan
SOURCE: PCT Int. Appl., 121 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005012245	A1	20050210	WO 2004-JP10282	20040713
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2531064	A1	20050210	CA 2004-2531064	20040713
EP 1647546	A1	20060419	EP 2004-747746	20040713
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
US 20060194857	A1	20060831	US 2004-563361	20040713
CN 1849303	A	20061018	CN 2004-80026235	20040713
IN 2006CN00142	A	20070629	IN 2006-CN142	20060112
MX 2006PA00539	A	20060330	MX 2006-PA539	20060113
PRIORITY APPLN. INFO.:			JP 2003-274684 A	20030715
			WO 2004-JP10282 W	20040713

OTHER SOURCE(S): MARPAT 142:219144
GI



I



II

AB Title compds. represented by the formula I [wherein ring Z = (un)substituted heteroaryl; R1 = carboxyl, alkoxycarbonyl, (un)substituted carbamoyl, etc.; W1, W2 = independently (un)substituted alkyl; Ar1 = (un)substituted (hetero)arylene; W3 = single bond, alkylene, alkenylene or Y1W5; Y1 = O, S, SO or SO2; W5 = alkylene or alkenylene; W4 = single bond, amino(alkylene), alkylene, alkenylene; Ar2 = (un)substituted (hetero)aryl; their prodrugs, and pharmaceutically acceptable salts thereof] were prepared as PPARα and PPARγ agonist. For example, II was given in a multi-step synthesis starting from Me 2-hydroxyisobutyrate. Selected I showed agonic activity of PPARα and PPARγ, and were tested for lowering blood sugar effect. Thus, I are useful as PPARα and PPARγ agonists for the treatment of diabetes.

IT 840502-82-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of benzoylpyrrole derivs. as PPAR agonist for treatment of diabetes)

RN 840502-82-1 CAPLUS

CN Propanoic acid, 2-[[4-[(1E)-3-[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]-1-propenyl]phenyl]methoxy]-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> log y
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                         ENTRY    SESSION
FULL ESTIMATED COST                                      16.83     195.40

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                         ENTRY    SESSION
CA SUBSCRIBER PRICE                                      -2.40      -2.40

STN INTERNATIONAL LOGOFF AT 17:17:05 ON 09 APR 2008
```